

Chicago Metallic

Commercial & Foodservice Bakeware

A BUNNY BAKING SOLUTION

Table of Contents



Company

The Chicago Metallic Story.....	4
The Bundy Baking Solutions CREED	5
Quality, Service, & Customized Solutions.....	6
World-Class Pan Coatings	7

Products

Sheet Pans.....	8-12
Cupcake & Muffin Pans	13-19
Bun & Roll Pans	20-21
Bread & Baguette Pans	22-25
Specialty Bread Pans	26-27
Pizza Pans.....	28-31
Cake & Pie Pans	32-35
USA PAN® Bakeware.....	36-39
Accessories.....	40-41
Product Index	42-43





LEARN
MORE




Scan the QR codes throughout this catalog with your mobile device camera to learn more about Chicago Metallic products and services.

Discover the benefits of our EXACT STACK® Pizza Pans—featured on page 29 of this catalog—or scan the QR code above.



The Chicago Metallic Story



For more than a century, the Chicago Metallic name has been synonymous with innovative products, superior quality, and exceptional service. Today, we manufacture more than 300 different baking pans and ship to customers worldwide—typically within 48 hours.



Quality

- **Biggest Inventory:** We maintain the world's largest inventory, so you can get the products you need without delay.
- **Best Coatings:** Our proprietary coatings outperform everything else on the market.
- **Superior Performance:** Our materials and coatings provide unmatched durability and strength, and we continually innovate to make products safer, more sanitary, and environmentally sound.




Expertise

- **Deep Experience:** We began creating quality bakeware in 1898—and have continually innovated and enhanced for more than a century.
- **Focus Driven:** Our team is focused on providing unmatched quality control to give you the high-quality products you expect every time.
- **Custom Solutions:** Need something unique? We'll create custom pans to meet your exact specifications and supply chain needs.



Service

- **Delivery on Demand:** We stock vast inventory, so most orders ship within 24 to 48 hours.
- **Outstanding Service:** Chicago Metallic is a family-owned company, and our deep passion for the baking industry is matched only by our commitment to exceptional service.
- **Guaranteed Satisfaction:** In addition to the confidence of working with the world's largest baking pan manufacturer, you can enjoy the peace of mind that comes with knowing your satisfaction is 100% guaranteed.



Made in the USA

All Chicago Metallic products are manufactured in the United States with global materials.

The Bundy Baking Solutions CREED



It is our mission to be the most trusted supplier of essential equipment, bakeware, coatings, and services to bakers around the world. We will achieve this by living out our CREED, a commitment to ourselves and to the industries we serve.




- **Commitment:** We are committed to making products that our customers need at a level of quality and value they deserve. We want to make a positive difference in the operations of our customers.
- **Respect:** We respect our customers and are grateful for the opportunities given to us. Each customer is different and we work to earn their support.
- **Family Environment:** We are a family business and believe in the value of relationships. We make a genuine effort to know our customers and the challenges they face so that we can come together as a team.
- **Excellence:** We are driven to constantly move forward and pursue excellence every day. We believe that what our customers do is important and what we do is important; therefore, it is important to always do it right.
- **Personal Development:** We constantly develop our people and our processes to be the best at what we do and provide the best products to our customers.

 **American Pan**[®]
Industrial Baking Pans & Coatings
Brazil | Ireland | Romania | Spain
UK | USA

 **Chicago Metallic**[®]
Commercial & Foodservice Bakeware
Canada | USA

 **DuraShield**[®]
Non-Stick Coatings

 **Pan Glo**[®]
Pan Cleaning & Recoating
Canada | Colombia | Mexico
UK | USA

 **Runex**[®]
Baking Equipment & Coatings
Norway | Sweden

 **Synova**[®]
Release Agents

Quality, Service, & Customized Solutions



We have 26 facilities around the world to better serve your straightening, cleaning, and coating needs. For more information and to see the capabilities of each of our pan refurbishment locations, please visit our website.

Custom Pan Manufacturing

Need custom pan sizes, mould designs, or configurations? Chicago Metallic can design a pan to meet your specific baking needs. Minimum order quantities are as low as 250 on most pans (500 for individual bread pans and 200 for bread sets). Contact us for more information.

We can create pans to your specifications including:

- **Sizes & Arrangements:** Customize your overall pan size, mould arrangements, and dimensions.
- **Mould Designs:** Create unique mould designs for signature products.
- **Materials:** Build your pan from strong and durable materials such as aluminum, aluminized steel, stainless steel, anodized aluminum, etc.
- **Pan Strengthening Options:** Enhance the strength of your pan with structural ribs, large-radius corners, and more.
- **Coatings:** Select one of our proprietary coatings: AMERICOAT®, OptiShield®, or DuraShield® in standard or custom colors.

Pan Glo® Pan Recoating Service

Even with proper care and cleaning, your pans will eventually need to be refurbished. That is why we offer The Pan Glo® Process. Every year, millions of baking pans of every shape, size, brand, and configuration are processed by Pan Glo plants across North America, South America, and Europe. These cleaned and freshly reglazed pans are returned to productivity with improved release characteristics.

For more information on our Pan Glo services in the USA, call 1.800.652.2151 or visit our website at panglo.com. For more information on our Pan Glo services in Canada, call 1.800.265.8445, Ext. 239 or visit our website at panglo.ca.



REQUEST
A QUOTE

World-Class Pan Coatings



Pan Coatings

Chicago Metallic offers different coatings to meet your production needs or preference. Below is a table showing the basic differences between our standard pan coatings. Coatings can also be tinted for easy, at-a-glance identification, or pans can be stamped with an identifying label. Please note, while nearly all of our glazed pans coated with our AMERICOAT® ePlus coating are stock items, some DuraShield® and all OptiShield® coated pans would require a custom order with minimum order quantities (see Custom Pan Manufacturing on page 6).

FIND THE
PERFECT COATING



Pan Coating	Type	Standard Color	Other Color(s) Available	Approx. # Releases*	Oil Usage Reduction	Dishwasher Safe	PFOA-Free	FDA Conformity	Recoating Available
AMERICOAT® ePlus	Glaze	Clear	Yes	600	Up to 50%	No	Yes	Yes	Yes
OptiShield®	Non-Stick	Grey/Black	Yes	1500	Up to 75%	Yes	Yes	Yes	Yes
DuraShield®	Non-Stick	Dark Green/Black	Yes	3500	Up to 100%	Yes	Yes	Yes	Yes
DuraShield® purple	Non-Stick	Purple	No	3500	Up to 100%	Yes	Yes	Yes	Yes

**Note that this is an approximate number and may not be the exact number of releases achieved.*

Pan Use & Care

For complete pan use and care guidelines for any of our coated pans, please visit useandcare.cmbakeware.com. Printed Use & Care cards are included in all factory shipments and are available upon request.



Sheet Pans



NSF StayFlat® Sheet Pans Aluminum

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
Full-Size					
30694	★	Plain	16 gauge, band in rim, NSF Certified	4.0	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1
30698	★	DuraShield	16 gauge, band in rim, NSF Certified	4.0	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1
Half-Size					
30850	★	Plain	18 gauge, band in rim, NSF Certified	1.9	12 ¹³ / ₁₆ x 17 ¹³ / ₁₆ x 1
30858	★	DuraShield	18 gauge, band in rim, NSF Certified	1.9	12 ¹³ / ₁₆ x 17 ¹³ / ₁₆ x 1

Full-Size Sheet Pan Identification Guide

Our item number stamping system allows for easy reordering of any of our full-size sheet pans. Check the back of your sheet pan for one of these numbers and then choose the appropriate item number based on your preferred coating option.

Stamp #	Items with this Stamp	Stamp #	Items with this Stamp
4069X	40690 / 40695	4069XS	StayFlat® 40694 / 40698
4080X	40800 / 40805	4080XS	StayFlat® 40804 / 40808
4469X	_____	4469XS	StayFlat® 44693 / 44694
4469X	44697 / 44691	4469XS	StayFlat® 44699 / 44690
4489X	44890 / 44895	4489XS	StayFlat® 44891 / 44896
4090X	40904 / 40908	4090XS	_____

4069X



Custom Wire Options for Sheet Pans

Chicago Metallic offers the exclusive ability to customize our sheet pans with aluminum or stainless steel wire options. By having your pans manufactured with aluminum or stainless steel wires, you are eliminating the potential for corrosion within sheet pan rims, a major concern when it comes to health and foodservice, as pan rim corrosion leads to food contamination and a reduction in the overall life of baking pans.



Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
40694	★	Plain	16 gauge, wire in rim	4.0	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40698	★	Glazed	16 gauge, wire in rim	4.0	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
50691	★	DuraShield	16 gauge, wire in rim	4.0	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40804	★	Plain	18 gauge, wire in rim	3.8	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40808	★	Glazed	18 gauge, wire in rim	3.8	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
50801	★	DuraShield	18 gauge, wire in rim	3.8	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40904	★	Plain	20 gauge, wire in rim	3.3	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
40908	★	Glazed	20 gauge, wire in rim	3.3	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44699	★	Plain	16 gauge, .081" diameter bottom perforation, wire in rim	3.5	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44690	★	Glazed	16 gauge, .081" diameter bottom perforation, wire in rim	3.5	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44891	★	Plain	18 gauge, .125" diameter bottom perforation, wire in rim	2.9	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44896	★	Glazed	18 gauge, .125" diameter bottom perforation, wire in rim	2.9	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44693	★	Plain	16 gauge hardcoat anodized aluminum, wire in rim, BAKALON	3.4	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1 ¹ / ₁₆
44694	★	Pre-Seasoned	16 gauge hardcoat anodized aluminum, wire in rim, BAKALON	3.4	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1 ¹ / ₁₆

Stayflat® Sheet Pans


StayFlat® Sheet Pans feature sidewalls that are continuously reinforced with a horizontal engineered rib. This feature increases sidewall strength up to 30% and provides an easy visual identification reference for situations where stronger, flatter sheet pans are required, such as for transport or for baking pies and cakes.

In addition to our standard StayFlat Sheet Pans, we also offer the world's first sheet pans to have the strength of a completely enclosed pan rim and to be certified by NSF International.

As part of our commitment to continuous improvement, throughout 2017 we upgraded several of our standard sheet pans to the StayFlat design. (StayFlat U.S. Patent No. 9,737,171)



DISCOVER THE BENEFITS



Old #	StayFlat #	Old #	StayFlat #	Old #	StayFlat #	Old #	StayFlat #
40690	40694	40805	40808	44697	44699	44895	44896
40695	40698	40691	50691	44691	44690	—	—
40800	40804	40801	50801	44890	44891	—	—



Sheet Pans



Standard Sheet Pans Aluminum (unless otherwise noted)

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
Full-Size					
40600	★	Plain	12 gauge, sanitary open bead, semi-curved rim	4.3	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ⁵ / ₁₆
40605	★	Glazed	12 gauge, sanitary open bead, semi-curved rim	4.3	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ⁵ / ₁₆
44792	★	Glazed	16 gauge, square perforation all over, wire in rim	3.1	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1 ³ / ₃₂
41031	★	Glazed	22 gauge aluminized steel, band in rim	7.2	17 ³ / ₄ x 25 ³ / ₄ x 1
41555	★	Glazed	22 gauge aluminized steel, wire in rim	5.6	17 ¹¹ / ₁₆ x 25 ¹¹ / ₁₆ x 1 ³ / ₃₂
40700	★	Plain	.036" stainless steel (304), sanitary open bead, semi-curved rim	5.4	17 ⁷ / ₈ x 25 ⁷ / ₈ x 1
Three-Quarter-Size					
41500	★	Plain	18 gauge, wire in rim	2.6	15 ¹³ / ₁₆ x 21 ¹³ / ₁₆ x 1
41505	★	Glazed	18 gauge, wire in rim	2.6	15 ¹³ / ₁₆ x 21 ¹³ / ₁₆ x 1
10317	★	Glazed	22 gauge aluminized steel, wire in rim	4.5	15 ¹³ / ₁₆ x 21 ¹³ / ₁₆ x 1
10248	★	Glazed	16 gauge, square perforation all over, wire in rim	2.0	15 ¹³ / ₁₆ x 21 ¹³ / ₁₆ x 1
Half-Size					
40850	★	Plain	18 gauge, wire in rim	2.1	12 ⁷ / ₈ x 17 ³ / ₄ x 3 ¹ / ₃₂
40855	★	Glazed	18 gauge, wire in rim	2.1	12 ⁷ / ₈ x 17 ³ / ₄ x 3 ¹ / ₃₂
40950	★	Plain	14 gauge, sanitary open bead, semi-curved rim	1.7	12 ⁷ / ₈ x 17 ³ / ₄ x 1
40955	★	Glazed	14 gauge, sanitary open bead, semi-curved rim	1.7	12 ⁷ / ₈ x 17 ³ / ₄ x 1
40858	★	DuraShield	18 gauge, wire in rim	2.1	12 ⁷ / ₈ x 17 ³ / ₄ x 3 ¹ / ₃₂
40952	★	Plain	14 gauge hardcoat anodized aluminum, open/semi-curved rim, BAKALON	1.7	12 ⁷ / ₈ x 17 ³ / ₄ x 1
40954	★	Pre-Seasoned	14 gauge hardcoat anodized aluminum, open/semi-curved rim, BAKALON	1.7	12 ⁷ / ₈ x 17 ³ / ₄ x 1
40857	★	Plain	18 gauge, bottom perforation only, wire in rim	1.9	12 ⁷ / ₈ x 17 ¹³ / ₁₆ x 3 ¹ / ₃₂
40851	★	Glazed	18 gauge, bottom perforation only, wire in rim	1.9	12 ⁷ / ₈ x 17 ¹³ / ₁₆ x 3 ¹ / ₃₂
Quarter-Size					
40450	★	Plain	16 gauge, curled rim, no wire	0.8	9 ¹ / ₂ x 13 x 1 ¹ / ₁₆
40455	★	Glazed	16 gauge, curled rim, no wire	0.8	9 ¹ / ₂ x 13 x 1 ¹ / ₁₆
40452	★	Plain	16 gauge hardcoat anodized aluminum, curled rim, no wire, BAKALON	0.8	9 ¹ / ₂ x 13 x 1 ¹ / ₁₆
40454	★	Pre-Seasoned	16 gauge hardcoat anodized aluminum, curled rim, no wire, BAKALON	0.8	9 ¹ / ₂ x 13 x 1 ¹ / ₁₆
Eighth-Size					
41800	★	Plain	16 gauge, curled rim, no wire	0.4	6 ⁷ / ₁₆ x 9 ⁷ / ₁₆ x 1 ¹ / ₃₂
41805	★	Glazed	16 gauge, curled rim, no wire	0.4	6 ⁷ / ₁₆ x 9 ⁷ / ₁₆ x 1 ¹ / ₃₂
41852	★	Plain	16 gauge hardcoat anodized aluminum, curled rim, no wire, BAKALON	0.4	6 ⁷ / ₁₆ x 9 ⁷ / ₁₆ x 1 ¹ / ₃₂
41854	★	Pre-Seasoned	16 gauge hardcoat anodized aluminum, curled rim, no wire, BAKALON	0.4	6 ⁷ / ₁₆ x 9 ⁷ / ₁₆ x 1 ¹ / ₃₂

Sheet Pan Size Reference



BĀKALON Diamond Grill Pan Hardcoat anodized aluminum

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
70821	★	Plain	12 gauge, textured	0.8	8 ⁵ / ₁₆ x 11 ⁹ / ₁₆ x 1 ³ / ₁₆
70824	★	Pre-Seasoned	12 gauge, textured	0.8	8 ⁵ / ₁₆ x 11 ⁹ / ₁₆ x 1 ³ / ₁₆



Display Pans Anodized aluminum

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
Full-Size					
40912	★	Plain	16 gauge, non-textured, semi-closed rim, no wire	2.6	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ³ / ₃₂
40910	★	Gold*	16 gauge, textured, semi-closed rim, no wire	2.6	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ³ / ₃₂
40917	★	Silver	16 gauge, textured, semi-closed rim, no wire	2.6	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ³ / ₃₂
Half-Long					
40922	★	Plain	16 gauge, non-textured, semi-closed rim, no wire	1.3	8 ²³ / ₃₂ x 25 ¹⁵ / ₃₂ x 1 ⁵ / ₁₆
40920	★	Gold*	16 gauge, textured, semi-closed rim, no wire	1.3	8 ²³ / ₃₂ x 25 ¹⁵ / ₃₂ x 1 ⁵ / ₁₆
40927	★	Silver	16 gauge, textured, semi-closed rim, no wire	1.3	8 ²³ / ₃₂ x 25 ¹⁵ / ₃₂ x 1 ⁵ / ₁₆
Half-Size					
40930	★	Gold*	16 gauge, textured, semi-closed rim, no wire	1.2	11 ¹⁵ / ₁₆ x 17 ¹⁵ / ₁₆ x 1 ³ / ₁₆
Quarter-Size					
40940	★	Gold*	16 gauge, textured, semi-closed rim, no wire	0.8	9 ⁷ / ₁₆ x 12 ¹⁵ / ₁₆ x 1 ³ / ₁₆
40947	★	Silver	16 gauge, textured, semi-closed rim, no wire	0.8	9 ⁷ / ₁₆ x 12 ¹⁵ / ₁₆ x 1 ³ / ₁₆



*Gold pans may not match gold pans made by other manufacturers.

BĀKALON Diamond Grill Pan


The Chicago Metallic BĀKALON Diamond Grill Pan is designed to add grill marks to steak, chicken, or fish when cooked in conveyerized or conventional ovens. The pan is constructed of high strength aluminum with a durable, hardcoat anodized surface that will not chip, peel, rust, or interact with food.






Sheet Pans

Perforated Baking Sheets/Bagel Screens Aluminum



Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
Swedish Style, Unperforated Margins					
44850	★	Glazed	12 gauge, hemmed sides, .081" diameter perforation	3.0	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 2 ¹ / ₃₂
45135	★	Glazed	14 gauge, embossed side ribs, .094" diameter perforation	2.3	18 x 25 ¹⁵ / ₁₆ x 5 ¹ / ₁₆
Cookie Sheet Style, Unperforated Margins with Seamless Corners					
44801	★	Plain	16 gauge, .081" diameter bottom perforation only, wire in rim	3.9	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 3 ¹ / ₁₆
44800	★	Glazed	16 gauge, .081" diameter bottom perforation only, wire in rim	3.9	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 3 ¹ / ₁₆
StayFlat® Perforated					
44699	★	Plain	16 gauge, .081" diameter bottom perforation, wire in rim	3.5	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44690	★	Glazed	16 gauge, .081" diameter bottom perforation, wire in rim	3.5	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44891	★	Plain	18 gauge, .125" diameter bottom perforation, wire in rim	2.9	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
44896	★	Glazed	18 gauge, .125" diameter bottom perforation, wire in rim	2.9	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1
Full-Size Perforated					
44792	★	Glazed	16 gauge, square perforation all over, wire in rim	3.1	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ³ / ₃₂
Three-Quarter-Size Perforated					
10248	★	Glazed	16 gauge, square perforation all over, wire in rim	2.0	15 ¹³ / ₁₆ x 21 ¹³ / ₁₆ x 1
Half-Size Perforated					
40857	★	Plain	18 gauge, bottom perforation only, wire in rim	1.9	12 ⁷ / ₈ x 17 ¹³ / ₁₆ x 3 ¹ / ₃₂
40851	★	Glazed	18 gauge, bottom perforation only, wire in rim	1.9	12 ⁷ / ₈ x 17 ¹³ / ₁₆ x 3 ¹ / ₃₂

Allergen Management Sheet Pans Aluminum with purple-colored DuraShield® non-stick coating



Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
60690	★	DuraShield	Full-size, 16 gauge, wire in rim	4.1	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ³ / ₃₂
60800	★	DuraShield	Full-size, 18 gauge, wire in rim	3.7	17 ¹³ / ₁₆ x 25 ¹³ / ₁₆ x 1 ³ / ₃₂
60850	★	DuraShield	Half-size, 18 gauge, wire in rim	2.0	12 ⁷ / ₈ x 17 ³ / ₄ x 1

Allergen Management Bakeware

When dealing with customers diagnosed with food allergies, careful attention to food preparation and communication is a necessity. It is also a major business decision that can draw loyal customers. Chicago Metallic is excited to offer a collection of purple color-coded DuraShield® coated pans to help your operation more safely and efficiently produce allergen-free alternatives for your customers.




[LEARN MORE](#)

Cupcake & Muffin Pans



Mini-Fluted Cake Pan & Mini-Fluted Tube Cake Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out. (B)	Depth (C)	L	W		
26200	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	4 rows of 3	3.0	2 ³ / ₄	2 ⁵ / ₈	1 ¹ / ₄	3 ⁵ / ₁₆	3 ⁵ / ₁₆	2.2	11 ¹ / ₈ x 15 ³ / ₄
43055	★	Glazed	22 gauge, wire in rim with tube	3 rows of 5	7.5	3 ¹⁵ / ₁₆	3	1 ¹¹ / ₁₆	4 ⁵ / ₈	4 ⁷ / ₈	9.6	17 ⁷ / ₈ x 25 ⁷ / ₈




*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.




Cupcake & Muffin Pans

Mini-Muffin Pans Aluminized steel



Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out. (B)	Depth (C)	L	W		
45195	★	Glazed	22 gauge, square corners, wire in rim	5 rows of 6	1.1	1 ⁷ / ₈	1 ¹ / ₄	7 ⁷ / ₈	2 ³ / ₄	2 ¹ / ₄	4.5	12 ⁷ / ₈ x 17 ⁷ / ₈
45295	★	Glazed	22 gauge, wire in rim	6 rows of 8	1.1	1 ⁷ / ₈	1 ¹ / ₄	7 ⁷ / ₈	2 ³ / ₄	2 ¹ / ₄	8.5	17 ⁷ / ₈ x 25 ⁷ / ₈
45245	★	Glazed	26 gauge, wire in rim	4 rows of 6	2.1	2 ¹ / ₁₆	1 ⁵ / ₈	1 ¹ / ₈	2 ³ / ₄	2 ³ / ₄	4.0	12 ⁷ / ₈ x 17 ⁷ / ₈
45255	★	Glazed	26 gauge, wire in rim	6 rows of 8	2.1	2 ¹ / ₁₆	1 ⁵ / ₈	1 ¹ / ₈	2 ³ / ₄	2 ³ / ₄	7.3	17 ⁷ / ₈ x 25 ⁷ / ₈

Mini-Crown Muffin Pans Aluminized steel



Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out. (B)	Depth (C)	L	W		
42754	★	Glazed	26 gauge, wire in rim	3 rows of 4	3.0	2 ³ / ₄	1 ⁵ / ₈	1 ¹ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	2.0	10 ⁵ / ₈ x 13 ⁷ / ₈
42755	★	Glazed	26 gauge, square corners, wire in rim	4 rows of 6	3.0	2 ³ / ₄	1 ⁵ / ₈	1 ¹ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	4.8	14 ¹ / ₁₆ x 20 ¹¹ / ₁₆
42756	★	Glazed	26 gauge, wire in rim	5 rows of 7	3.0	2 ³ / ₄	1 ⁵ / ₈	1 ¹ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	6.5	17 ⁷ / ₈ x 25 ⁷ / ₈











*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.




Mini-Crown Muffin Pans

Mini-Crown Muffin Pans from Chicago Metallic provide bakers with a profitable and unique solution to meet the food industry's current health and convenience trends. The pans produce an appealing, cupcake-like crown, but use 20% less batter.

Cupcake Pans Aluminized steel (unless otherwise noted)

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out. (B)	Depth (C)	L	W		
45125		Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 4	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	2.3	11 ¹ / ₈ x 15 ³ / ₄
45128		DuraShield	26 gauge cups, 22 gauge panel, curled rim	3 rows of 4	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	2.3	11 ¹ / ₈ x 15 ³ / ₄
45225		Glazed	26 gauge, wire in rim	3 rows of 4	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	4	4	3.8	12 ⁷ / ₈ x 17 ⁷ / ₈
45525		Glazed	26 gauge cups, 22 gauge panel, square corners, wire in rim	4 rows of 6	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	5.2	14 ¹ / ₁₆ x 20 ¹ / ₁₆
45575		Glazed	26 gauge, wire in rim	5 rows of 7	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	7.3	17 ⁷ / ₈ x 25 ⁷ / ₈
45605		Glazed	26 gauge, wire in rim	4 rows of 6	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	4	4	6.5	17 ⁷ / ₈ x 25 ⁷ / ₈
46120		Plain	20 gauge aluminum, square corners, wire in rim	3 rows of 4	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	2.0	10 ³ / ₄ x 14 ¹ / ₈
46125		Glazed	20 gauge aluminum, square corners, wire in rim	3 rows of 4	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	2.0	10 ³ / ₄ x 14 ¹ / ₈
46520		Plain	20 gauge aluminum, square corners, wire in rim	4 rows of 6	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	3.5	14 ¹ / ₈ x 20 ³ / ₄
46525		Glazed	20 gauge aluminum, square corners, wire in rim	4 rows of 6	3.8	2 ³ / ₄	2 ¹ / ₁₆	1 ³ / ₈	3 ⁵ / ₁₆	3 ⁵ / ₁₆	3.5	14 ¹ / ₈ x 20 ³ / ₄




*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.





Cupcake & Muffin Pans


Specialty Dessert Pans Aluminized steel (unless otherwise noted)




Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A1,2)	Btm. Out. (B1,2)	Depth (C)	L	W		
Brownie Bite (pans do not nest)												
25300	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	5 rows of 4	1.8	1 ²¹ / ₃₂ x 1 ²¹ / ₃₂	1 ⁹ / ₁₆ x 1 ⁹ / ₁₆	1 ⁹ / ₃₂	2 ³ / ₈	2 ¹¹ / ₁₆	3.0	11 ¹ / ₈ x 15 ³ / ₄
42865	★	Glazed	26 gauge, wire in rim	8 rows of 6	2.2	1 ²¹ / ₃₂ x 1 ²¹ / ₃₂	1 ⁹ / ₁₆ x 1 ⁹ / ₁₆	1 ⁹ / ₃₂	2 ³ / ₈	2 ¹¹ / ₁₆	7.4	17 ⁷ / ₈ x 25 ⁷ / ₈
Mary Ann/Strawberry Shortcake												
43385	★	Glazed	26 gauge, wire in rim, indent size - 2" x 1 ¹ / ₂ " deep	3 rows of 4	6.0	3 ³ / ₈	3	1 ¹ / ₂	4	3 ¹⁵ / ₁₆	4.1	12 ⁷ / ₈ x 17 ⁷ / ₈
43395	★	Glazed	26 gauge, wire in rim, indent size - 2" x 1 ¹ / ₂ " deep	4 rows of 6	6.0	3 ³ / ₈	3	1 ¹ / ₂	3 ¹³ / ₁₆	3 ¹³ / ₁₆	7.5	17 ⁷ / ₈ x 25 ⁷ / ₈
Mini-Loaf												
25100	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	4 rows of 2	5.1	3 ⁷ / ₈ x 2 ¹ / ₂	3 ³ / ₈ x 2	1 ¹ / ₄	3 ³ / ₈	4 ¹ / ₂	2.0	11 ¹ / ₈ x 15 ³ / ₄
45755	★	Glazed	26 gauge, square corners, wire in rim	2 rows of 6	6.4	3 ⁷ / ₈ x 2 ¹ / ₂	3 ¹ / ₂ x 2 ¹ / ₈	1 ⁵ / ₁₆	3 ³ / ₈	4 ¹ / ₂	3.8	9 ⁷ / ₈ x 19 ¹ / ₂
45725	★	Glazed	26 gauge, square corners, wire in rim	4 rows of 7	6.4	3 ⁷ / ₈ x 2 ¹ / ₂	3 ¹ / ₂ x 2 ¹ / ₈	1 ⁵ / ₁₆	3 ³ / ₈	4 ¹ / ₂	7.8	18 ⁷ / ₈ x 25 ⁷ / ₈
45727	★	Glazed	26 gauge, square corners, wire in rim	4 rows of 7	6.4	3 ⁷ / ₈ x 2 ¹ / ₂	3 ¹ / ₂ x 2 ¹ / ₈	1 ⁵ / ₁₆	3 ³ / ₈	4 ¹ / ₄	7.9	17 ⁷ / ₈ x 25 ⁷ / ₈
Square Muffin												
46605	★	Glazed	20 gauge aluminum, square corners, wire in rim	4 rows of 6	4.4	2 ⁵ / ₈ x 2 ⁵ / ₈	2 x 2	1 ⁹ / ₁₆	3 ³ / ₈	3 ³ / ₄	3.8	14 ¹ / ₈ x 20 ³ / ₄
46601	★	Dura-Shield	20 gauge aluminum, square corners, wire in rim	4 rows of 6	4.4	2 ⁵ / ₈ x 2 ⁵ / ₈	2 x 2	1 ⁹ / ₁₆	3 ³ / ₈	3 ³ / ₄	3.8	14 ¹ / ₈ x 20 ³ / ₄
Mini-Star												
43045	★	Glazed	22 gauge, square corners, wire in rim	3 rows of 4	6.0	4 ¹ / ₂	4 ³ / ₃₂	1	5 ¹ / ₂	5	8.4	17 ⁷ / ₈ x 25 ⁷ / ₈
Fluted Tart												
25500	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	7.2	4 ⁹ / ₁₆	4 ¹ / ₁₆	7 ⁷ / ₈	5	5 ³ / ₈	2.0	11 ¹ / ₈ x 15 ³ / ₄
Mini-Swirl Cake												
26300	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	6.1	3 ¹¹ / ₁₆	2 ¹ / ₂	1 ²⁵ / ₃₂	4 ¹ / ₄	4 ¹ / ₄	2.2	11 ¹ / ₈ x 15 ³ / ₄

*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.

Mini-Fluted Cake & Mini-Fluted Tube Cake Pans




Item # 26200 (C)
Mini-Fluted Cake




Item # 43055 (C)
Mini-Fluted Tube Cake




Mini-Muffin, Mini-Crown Muffin & Cupcake Pans




Item # 45195, 45295 (B)
Mini-Muffin



Item # 45245, 45255 (A)
Mini-Muffin




Item # 42754, 42755, 42756 (B)
Mini-Crown Muffin




Item # 45125, 45128, 45225, 45525, 45575, 45605, 46120, 46125, 46520, 46525 (A)
Cupcake


Specialty Dessert Pans




Item # 25300, 42865 (C)
Brownie Bite




Item # 43385, 43395 (C)
Mary Ann/Strawberry Shortcake




Item # 25100 (C)
Mini-Loaf




Item # 45755, 45725, 45727 (C)
Mini-Loaf




Item # 46601, 46605 (A)
Square Muffin



Item # 43045 (C)
Mini-Star




Item # 25500 (C)
Fluted Tart




Item # 26300 (C)
Mini-Swirl Cake




Cupcake & Muffin Pan Mould Profiles



(A)
Bell-Shaped
Crown



(B)
Large Rounded
Crown



(C)
Cake
Top


Most Chicago Metallic cupcake and muffin pans produce a bell-shaped crown. Other moulds produce a rounded crown or a flatter, cake-like top. Each mould profile is marked with an (A), (B), or (C) to indicate its typical crown shape.

Please note that all dimensions are in inches.




Cupcake & Muffin Pans


Oversized Muffin Pans




Item # 43645, 45645 (A)
Large Muffin




Item # 43215, 45265 (A)
Texas Muffin




Item # 43515, 44515 (A)
Jumbo Muffin




Item # 43375, 45285 (A)
Jumbo Muffin




Item # 45445 (A)
Jumbo Muffin




Item # 43555, 44555 (B)
Large Crown Muffin




Item # 43025, 43026 (B)
Large Crown Muffin




Item # 45435 (B)
Large Crown Muffin




Item # 26500, 43695, 43698,
44705, 47005 (B)
Pecan Roll/Large Muffin




Item # 43035, 43038 (C)
Mini-Cake




Item # 44305, 44215, 45305 (C)
Mini-Cake



Item # 45355 (C)
Mini-Cake



Allergen Management Cupcake Pan



Item # 65525 (A)
Allergen Management
Cupcake









Large-Radius Corners

Most Chicago Metallic muffin pans feature an innovative large-radius, seamless corner design. This design significantly increases pan frame and corner strength, extends pan life, and makes pans safer, more sanitary, and easier to handle. These pans also nest and stack easily with older, small-radius corner pans.



Oversized Muffin Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out. (B)	Depth (C)	L	W		
Large Muffin												
43645	★	Glazed	26 gauge, wire in rim	3 rows of 4	5.0	3¼	2½	1¼	3⅝	3⅝	3.8	12⅞ x 17⅞
45645	★	Glazed	26 gauge, wire in rim	4 rows of 6	5.0	3¼	2½	1¼	3⅝	3⅝	7.0	17⅞ x 25⅞
Texas Muffin												
43215	★	Glazed	26 gauge, wire in rim	3 rows of 4	5.6	3⅜	2⅝	1¼	3⅝	3⅝	3.9	12⅞ x 17⅞
45265	★	Glazed	26 gauge, wire in rim	4 rows of 6	5.6	3⅜	2⅝	1¼	3⅝	3⅝	7.2	17⅞ x 25⅞
Jumbo Muffin												
43515	★	Glazed	26 gauge, wire in rim	3 rows of 4	6.2	3½	3⅜	1¼	4⅞	4⅞	4.2	13½ x 17⅞
44515	★	Glazed	26 gauge, wire in rim	4 rows of 5	6.2	3½	3⅜	1¼	4⅞	4⅞	6.7	17⅞ x 25⅞
43375	★	Glazed	26 gauge, wire in rim	3 rows of 4	7.0	3⅝	3	1½	4	3⅝	4.0	12⅞ x 17⅞
45285	★	Glazed	26 gauge, wire in rim	4 rows of 6	7.0	3⅝	3	1½	3⅞	4	7.5	17⅞ x 25⅞
45445	★	Glazed	26 gauge, wire in rim	4 rows of 6	7.0	3⅝	2⅝	1⅞	3⅞	4	7.7	17⅞ x 25¾
Large Crown Muffin												
43555	★	Glazed	26 gauge, wire in rim	3 rows of 4	7.3	3½	2⅞	1⅝	4⅞	4⅞	4.2	13½ x 17⅞
44555	★	Glazed	26 gauge, wire in rim	4 rows of 5	7.3	3½	2⅞	1⅝	4⅞	4⅞	6.8	17⅞ x 25⅞
43025	★	Glazed	22 gauge, square corners, wire in rim	3 rows of 4	7.3	3⅝	2⅞	1⅝	4	4	5.5	13½ x 17½
43026	★	Glazed	22 gauge, wire in rim	4 rows of 6	7.3	3⅝	2⅞	1⅝	4	4	9.8	17⅞ x 25⅞
45435	★	Glazed	22 gauge, wire in rim	3 rows of 5	7.5	4⅞	2⅞	1⅝	4⅞	4⅞	8.2	17⅞ x 25⅞
Pecan Roll/Large Muffin												
26500	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	8.2	3⅞	2½	1⅜	4¼	4¼	2.2	11⅞ x 15¾
43695	★	Glazed	26 gauge, wire in rim	3 rows of 4	8.2	3⅞	2½	1⅜	4¼	4¼	4.2	13½ x 17⅞
43698	★	DuraShield	26 gauge, wire in rim	3 rows of 4	8.2	3⅞	2½	1⅜	4¼	4¼	4.2	13½ x 17⅞
44705	★	Glazed	26 gauge, wire in rim	4 rows of 5	8.2	3⅞	2½	1⅜	4¼	4¼	7.0	17⅞ x 25⅞
47005	★	Glazed	26 gauge, wire in rim	3 rows of 5	8.2	3⅞	2½	1⅜	4¼	4¼	6.5	17⅞ x 25⅞
Mini-Cake												
43035	★	Glazed	22 gauge, wire in rim	3 rows of 5	10.0	4⅞	3⅞	1½	4⅞	4⅞	9.0	17⅞ x 25⅞
43038	★	DuraShield	22 gauge, wire in rim	3 rows of 5	10.0	4⅞	3⅞	1½	4⅞	4⅞	9.0	17⅞ x 25⅞
44305	★	Glazed	26 gauge, wire in rim	2 rows of 3	10.5	4¼	3¾	1½	4⅞	5⅞	2.0	11⅞ x 15¾
44215	★	Glazed	26 gauge, square corners, wire in rim	3 rows of 4	10.5	4¼	3⅞	1½	4⅞	4⅞	5.0	15½ x 20½
45305	★	Glazed	26 gauge, wire in rim	3 rows of 5	10.5	4¼	3¾	1½	4⅞	4⅞	6.7	17⅞ x 25⅞
45355	★	Glazed	26 gauge, square corners, wire in rim	3 rows of 4	16.5	5¼	4¾	1⅝	5⅞	5⅞	7.0	18 x 25⅞



Allergen Management Cupcake Pan Aluminized steel with purple-colored DuraShield® non-stick coating

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out. (B)	Depth (C)	L	W		
65525	★	DuraShield	26 gauge, wire in rim	4 rows of 6	3.8	2¾	2⅞	1⅞	3⅞	3⅞	5.2	14⅞ x 20⅞



*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.


Bun & Roll Pans




Hamburger Bun Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
Individual Moulds									
41002	★🇨🇦	Glazed	22 gauge, band in rim	3 rows of 5	4 $\frac{1}{8}$	3 $\frac{3}{4}$	$\frac{1}{2}$	8.3	17 $\frac{3}{4}$ x 25 $\frac{3}{4}$ x 1 $\frac{1}{2}$
41005	★🇨🇦	Glazed	22 gauge, band in rim	3 rows of 4	5	4 $\frac{3}{4}$	$\frac{1}{2}$	8.5	17 $\frac{3}{4}$ x 25 $\frac{3}{4}$ x 1 $\frac{1}{2}$
41006	★	Glazed	22 gauge, band in rim	2 rows of 3	4 $\frac{1}{8}$	3 $\frac{7}{8}$	1 $\frac{1}{8}$	5.3	12 x 17 $\frac{5}{8}$ x 2 $\frac{1}{8}$
42495*	★🇨🇦	Glazed	26 gauge, wire in rim	4 rows of 6	3 $\frac{3}{4}$	3 $\frac{1}{8}$	$\frac{3}{8}$	4.6	17 $\frac{3}{4}$ x 25 $\frac{3}{4}$ x 1 $\frac{1}{3}$
42425*	★	Glazed	26 gauge, wire in rim	3 rows of 5	4 $\frac{1}{8}$	3 $\frac{7}{8}$	$\frac{1}{2}$	4.5	17 $\frac{11}{16}$ x 25 $\frac{11}{16}$ x 1 $\frac{19}{32}$
42345	★	Glazed	26 gauge, wire in rim	4 rows of 6	4 $\frac{1}{4}$	3 $\frac{5}{8}$	$\frac{1}{2}$	6.8	19 $\frac{1}{2}$ x 28 $\frac{3}{4}$ x 1 $\frac{5}{8}$
52345	★	DuraShield	26 gauge, wire in rim	4 rows of 6	4 $\frac{1}{4}$	3 $\frac{5}{8}$	$\frac{1}{2}$	6.8	19 $\frac{1}{2}$ x 28 $\frac{3}{4}$ x 1 $\frac{5}{8}$
Cluster Moulds									
42445*	★🇨🇦	Glazed	26 gauge, wire in rim	6 clusters of 4	3 $\frac{7}{8}$	3 $\frac{3}{8}$	$\frac{1}{2}$	4.5	17 $\frac{11}{16}$ x 25 $\frac{11}{16}$ x 1 $\frac{5}{8}$

*ePAN® Pans



Band in Rim







Wire in Rim

Pan Rim Designs

- **Band in Rim:** Heavier; anti-shingle design, ideal for conveyorized and high-volume bakeries.
- **Wire in Rim:** Lighter; best for rack oven applications.






Hot Dog Bun Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
Individual Moulds									
42435*		Glazed	22 gauge, wire in rim	3 rows of 6	6 x 2 ¹ / ₁₆	5 ¹ / ₂ x 1 ¹ / ₁₆	1/2	4.5	17 ¹ / ₁₆ x 25 ¹ / ₁₆ x 1 ⁵ / ₈
52435*		DuraShield	22 gauge, wire in rim	3 rows of 6	6 x 2 ¹ / ₁₆	5 ¹ / ₂ x 1 ¹ / ₁₆	1/2	4.5	17 ¹ / ₁₆ x 25 ¹ / ₁₆ x 1 ⁵ / ₈
42415		Glazed	22 gauge, wire in rim	4 rows of 6	6 x 2 ¹ / ₁₆	5 ¹ / ₂ x 1 ¹ / ₁₆	1/2	6.0	16 ³ / ₄ x 27 ³ / ₄ x 1 ⁵ / ₈
Cluster Moulds									
42465		Glazed	22 gauge, band in rim, oval ends	8 clusters of 4	5 ⁵ / ₈ x 2 ¹ / ₁₆	5 x 1 ⁵ / ₈	1 ⁵ / ₃₂	7.5	19 ³ / ₈ x 25 ³ / ₄ x 1 ¹⁵ / ₃₂

*ePAN® Pans





Hoagie Bun Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
Blunt Ends									
41052		Glazed	22 gauge, band in rim	5 rows of 2	12 x 2 ³ / ₄	11 ³ / ₄ x 2 ⁷ / ₁₆	3/8	7.9	17 ³ / ₄ x 25 ³ / ₄ x 1 ³ / ₈
41053		Glazed	22 gauge, band in rim	2 rows of 4	10 x 3	9 ³ / ₄ x 2 ³ / ₄	1/2	7.9	17 ³ / ₄ x 25 ³ / ₄ x 1 ¹ / ₂
Round Ends									
41055		Glazed	22 gauge, band in rim	6 rows of 2	7 ⁷ / ₈ x 2 ¹ / ₂	7 ⁵ / ₁₆ x 2 ¹ / ₈	7/16	7.9	17 ³ / ₄ x 25 ³ / ₄ x 1 ⁷ / ₁₆
41058		DuraShield	22 gauge, band in rim	6 rows of 2	7 ⁷ / ₈ x 2 ¹ / ₂	7 ⁵ / ₁₆ x 2 ¹ / ₈	7/16	7.9	17 ³ / ₄ x 25 ³ / ₄ x 1 ⁷ / ₁₆
10450		Glazed	22 gauge, band in rim	6 rows of 3	7 ³ / ₃₂ x 2	6 ¹¹ / ₁₆ x 1 ¹¹ / ₁₆	1/2	7.4	17 ³ / ₄ x 25 ³ / ₄ x 1 ¹ / ₂




Slider Bun Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top In.	Bottom Outside	Depth		
40434		Glazed	22 gauge, band in rim	8 clusters of 12	1 ³ / ₈	1/8 concave bottom	1/8	7.1	17 ⁵ / ₈ x 25 ⁵ / ₈ x 1 ¹ / ₈




Square Ciabatta Roll Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
46351		Glazed	22 gauge, band in rim	4 rows of 5	3 ¹ / ₄ x 3	3 ⁷ / ₆₄ x 2 ²¹ / ₂₅	2 ³ / ₃₂	7.5	17 ³ / ₄ x 25 ³ / ₄ x 1 ²³ / ₃₂



Allergen Management Hamburger Bun Pan Aluminized steel with purple-colored DuraShield® non-stick coating

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
62425		DuraShield	26 gauge, wire in rim	3 rows of 5	4 ¹ / ₈	3 ⁷ / ₈	1/2	4.5	17 ¹ / ₁₆ x 25 ¹ / ₁₆ x 1 ¹⁹ / ₃₂



ePAN® Bun Pans

Chicago Metallic ePAN® Bun Pans are manufactured from high-tensile strength aluminized steel which produces a pan that is thinner and lighter, yet substantially stronger than traditional pans. Using less metal also means ePAN Bun Pans heat faster and cool more quickly.



Bread & Baguette Pans



Single Open Top Bread Pans Aluminized steel, folded construction (unless otherwise noted)

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)
				Top Inside	Btm. Out.	Depth		
40411	★	Plain	26 gauge, seamless construction, curled rim	5 ⁵ / ₈ x 3 ¹ / ₈	5 x 2 ¹ / ₂	2 ³ / ₁₆	0.3	³ / ₈
40415	★	Glazed	26 gauge, seamless construction, curled rim	5 ⁵ / ₈ x 3 ¹ / ₈	5 x 2 ¹ / ₂	2 ³ / ₁₆	0.3	³ / ₈
45031	★	Glazed	26 gauge, seamless construction, wire in rim with notched corners	7 ¹ / ₄ x 3 ⁵ / ₈	6 ³ / ₄ x 3	2 ¹ / ₄	0.8	¹ / ₂
41065	★	Glazed	26 gauge, wire in rim	8 x 4	7 ¹ / ₄ x 3 ¹ / ₄	2 ¹ / ₂	0.9	³ / ₄
40421	★	Plain	26 gauge, wire in rim	8 ¹ / ₂ x 4 ¹ / ₂	7 ⁵ / ₈ x 3 ⁵ / ₈	2 ¹¹ / ₁₆	1.0	1.0
40425	★	Glazed	26 gauge, wire in rim	8 ¹ / ₂ x 4 ¹ / ₂	7 ⁵ / ₈ x 3 ⁵ / ₈	2 ¹¹ / ₁₆	1.0	1.0
40561	★	Plain	26 gauge, wire in rim	9 x 4 ¹ / ₂	8 ¹ / ₄ x 3 ³ / ₄	2 ³ / ₄	1.1	1.0
40565	★	Glazed	26 gauge, wire in rim	9 x 4 ¹ / ₂	8 ¹ / ₄ x 3 ³ / ₄	2 ³ / ₄	1.1	1.0
10257	★	Glazed	26 gauge, wire in rim	9 ¹ / ₂ x 4 ¹ / ₂	9 x 4	2 ³ / ₄	1.3	1.0
49110	★	Plain	26 gauge, wire in rim	10 x 5	9 ³ / ₈ x 4 ³ / ₈	3	1.3	1.5
49115	★	Glazed	26 gauge, wire in rim	10 x 5	9 ³ / ₈ x 4 ³ / ₈	3	1.3	1.5
40491	★	Plain	26 gauge, wire in rim	12 ¹ / ₄ x 4 ¹ / ₂	11 ¹ / ₂ x 3 ³ / ₄	2 ³ / ₄	1.3	1.5
40495	★	Glazed	26 gauge, wire in rim	12 ¹ / ₄ x 4 ¹ / ₂	11 ¹ / ₂ x 3 ³ / ₄	2 ³ / ₄	1.3	1.5
10291	★	Glazed	26 gauge, wire in rim	12 x 5	11 ¹ / ₄ x 4 ¹ / ₄	3 ¹ / ₂	1.9	1.5

3-Strap Open Top Bread Pans

Aluminized steel, folded construction, band over wire

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
44235	★	Glazed	26 gauge, wire in rim	8½ x 4½	7⅝ x 3⅝	2¾	4.7	9 ⁷ / ₃₂ x 17 ⁷ / ₈
45635	★	Glazed	26 gauge, wire in rim	9 x 4½	8¼ x 3¾	2¾	4.8	9 ²³ / ₃₂ x 17 ³ / ₄



4-Strap Open Top Bread Pans

Aluminized steel, folded construction, band over wire (unless otherwise noted)

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
44145	★	Glazed	26 gauge, seamless construction, strap under curled pan rims	5⅝ x 3⅝	5 x 2½	2 ³ / ₁₆	2.0	6 ¹ / ₈ x 18
44065	★	Glazed	26 gauge, wire in rim	8 x 4	7¼ x 3¼	2½	5.1	8¾ x 19¾
44245	★	Glazed	26 gauge, wire in rim	8½ x 4½	7⅝ x 3⅝	2¾	6.0	9 ⁷ / ₃₂ x 21 ⁷ / ₈
44585	★	Glazed	26 gauge, wire in rim	8½ x 5¾	8 x 5	3	7.5	9 ³ / ₁₆ x 26
10392	★	Glazed	26 gauge, wire in rim	9½ x 4½	9 x 4	2¾	6.8	10¼ x 21¾
10396	★	Glazed	26 gauge, wire in rim	10½ x 4½	10 x 4	3	8.0	11¼ x 21¾
45642	★	Glazed	26 gauge, wire in rim	9 x 4½	8¼ x 3¾	2¾	6.1	9 ²³ / ₃₂ x 21 ⁷ / ₈
49145	★	Glazed	26 gauge, wire in rim	10 x 5	9⅜ x 4⅜	3	7.1	10 ²³ / ₃₂ x 23 ⁷ / ₈
49415	★	Glazed	26 gauge, wire in rim	10 x 5	9⅜ x 4⅜	3	7.3	10 ²³ / ₃₂ x 26
44765	★	Glazed	26 gauge, wire in rim	12 x 5	11¼ x 4¼	3½	9.0	12 ¹¹ / ₁₆ x 23⅜
44945	★	Glazed	26 gauge, wire in rim	12¼ x 4½	11½ x 3¾	2¾	7.5	12 ³¹ / ₃₂ x 21 ⁷ / ₈



5-Strap Open Top Bread Pans

Aluminized steel, folded construction, band over wire

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
44575	★	Glazed	26 gauge, wire in rim	7⅝ x 3⅝	6¾ x 3	2¼	6.1	8 ⁵ / ₃₂ x 25¾
10424	★	Glazed	26 gauge, wire in rim	8 x 4	7¼ x 3¼	2½	6.9	8¾ x 25¾
44255	★	Glazed	26 gauge, wire in rim	8½ x 4½	7⅝ x 3⅝	2¾	7.1	9 ⁷ / ₃₂ x 26
10428	★	Glazed	26 gauge, wire in rim	9½ x 4½	9 x 4	2¾	8.8	10¼ x 26
10430	★	Glazed	26 gauge, wire in rim	10½ x 4½	10 x 4	3	10.0	11¼ x 26
45655	★	Glazed	26 gauge, wire in rim	9 x 4½	8¼ x 3¾	2¾	7.5	9 ²³ / ₃₂ x 26
44955	★	Glazed	26 gauge, wire in rim	12¼ x 4½	11½ x 3¾	2¾	9.0	12 ³¹ / ₃₂ x 26



6-Strap Open Top Bread Pans

Aluminized steel, seamless construction, strap under pan rims

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
46925	★	Glazed	26 gauge, curled rim, large-radius corners	5⅝ x 3⅝	5⅝ x 2½	2¼	3.3	6 x 25⅝
41465	★	Glazed	26 gauge, wire in rim, small-radius corners	5⅝ x 3⅝	5 x 2½	2 ³ / ₁₆	3.0	6 ¹ / ₁₆ x 25⅝



AMERICOAT® ePlus

AMERICOAT® ePlus silicone release coating is the industry's leading silicone coating technology used on all Chicago Metallic glazed pans. AMERICOAT ePlus features longer-lasting performance and reduces the need for oil usage up to 50%.





Bread & Baguette Pans



Single Pullman Pans/Covers Aluminized steel, folded construction

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth			
44615	★	Glazed	26 gauge, wire in rim	13 x 4	12 ³ / ₄ x 3 ³ / ₄	4	1.8	1.5	13 ¹ / ₂₅ x 4 ¹ / ₂₅
44660	★	Glazed	Individual sliding cover for #44615	—	—	—	0.6	—	14 ⁹ / ₁₆ x 4 ³ / ₄
44650	★	Glazed	26 gauge, wire in rim	16 x 4	15 ³ / ₄ x 3 ³ / ₄	4	2.1	2.0	16 ⁵ / ₈ x 4 ⁵ / ₈
44655	★	Glazed	Individual sliding cover for #44650	—	—	—	0.7	—	17 ³ / ₈ x 4 ⁵ / ₈




3-Strap Pullman Pans/Covers Aluminized steel, folded construction, band over wire

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth			
10367	★	Glazed	26 gauge, wire in rim	12 x 4	11 ³ / ₄ x 3 ³ / ₄	4	7.5	1.5	12 ³ / ₄ x 15 ³ / ₄
10471	★	Glazed	1" non-nesting, drop cover for #10367	—	—	—	6.3	—	13 ³ / ₄ x 16 ³ / ₄
44635	★	Glazed	26 gauge, wire in rim	13 x 4	12 ³ / ₄ x 3 ³ / ₄	4	7.3	1.5	13 ² / ₃₂ x 15 ⁹ / ₈
44645	★	Glazed	1" non-nesting, drop cover for #44635	—	—	—	4.3	—	14 ³ / ₈ x 16 ⁹ / ₃₂
44365	★	Glazed	26 gauge, wire in rim	16 x 4	15 ³ / ₄ x 3 ³ / ₄	4	8.5	2.0	16 ³ / ₄ x 15 ³ / ₄
46465	★	Glazed	1" non-nesting, drop cover for #44365	—	—	—	5.3	—	17 ³ / ₈ x 16 ¹³ / ₃₂
10369	★	Glazed	26 gauge, wire in rim	16 x 4 ¹ / ₂	15 ³ / ₄ x 4 ¹ / ₄	4 ¹ / ₂	10.0	2.1	16 ³ / ₄ x 17
16083	★	Glazed	1" non-nesting, drop cover for #10369	—	—	—	6.2	—	17 ³ / ₄ x 18



4-Strap Pullman Pan/Cover Aluminized steel, folded construction, band over wire

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth			
44685	★	Glazed	26 gauge, wire in rim	13 x 4	12 ³ / ₄ x 3 ³ / ₄	4	9.5	1.5	13 ³ / ₄ x 21 ³ / ₈
44695	★	Glazed	1 ¹ / ₂ " nested cover for #44685	—	—	—	6.3	—	14 ³ / ₄ x 22 ³ / ₈



3-Strap Hearth Bread Pan

Aluminized steel, seamless construction, band over wire, partial bottom and sidewall perforations, flat bottom

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth			
44405	★	Glazed	22 gauge, wire in rim	11 ¹ / ₂ x 6	11 x 3 ¹ / ₂	2 ¹ / ₂	6.5	1.5	12 ³ / ₁₆ x 25 ⁷ / ₈



4-Strap Hearth Bread Pan

Aluminized steel, folded construction, band over wire, quilted corrugations, flat bottom with two rows of sidewall perforations

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth			
41145	★	Glazed	22 gauge, wire in rim	11 ⁹ / ₁₆ x 5 ³ / ₄	10 ¹⁵ / ₁₆ x 3 ³ / ₄	2 ³ / ₄	7.8	1.5	12 ³ / ₈ x 26 ¹ / ₁₆

Rye Bread/Miche Pan 3-Strap Set Aluminized steel

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth			
47125	★	Glazed	22 gauge, seamless construction, wire in rim, band over wire	11½ x 7	4½ x 11	3	7.9	1.5	12¼ x 25⅞



Allergen Management Bread Pan Aluminized steel with purple-colored DuraShield® non-stick coating

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Loaf Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth			
60561	★	DuraShield	26 gauge, wire in rim	9 x 4½	8¼ x 3¾	2¾	1.1	1.0	9½ x 5 x 2¾




Baguette Pans Aluminum

Item #	In Stock	Coating	Description	Moulds Per Pan	Mould Dimensions (in) Top Inside	Weight Each (lb)	Overall Size (in)
49011	★	Glazed	16 gauge, .081" diameter perforation, open ends, welded style	3 long	5 x 25¾	3.3	17¾ x 25¾ x 2⅛
45505	★	Glazed	16 gauge, .081" diameter perforation, open ends, welded style	5 across	3⅞ x 17¾	3.8	17¾ x 25¾ x 1




Uni-Lock® Baguette Pans† Aluminum

Item #	In Stock	Coating	Description	Moulds Per Pan	Mould Dimensions (in) Top Inside	Weight Each (lb)	Overall Size (in)
49034	★	Glazed	16 gauge, .081" diameter perforation, open ends	4 long	3⅞ x 25¾	3.5	17¾ x 25¾ x 1
49043	★	Dura-Shield	16 gauge, .081" diameter perforation, open ends	4 long	3⅞ x 25¾	3.5	17¾ x 25¾ x 1
49035	★	Glazed	16 gauge, .081" diameter perforation, open ends	5 long	3 x 25¾	3.7	17¾ x 25¾ x 1
49053	★	Dura-Shield	16 gauge, .081" diameter perforation, open ends	5 long	3 x 25¾	3.7	17¾ x 25¾ x 1
45515	★	Glazed	16 gauge, .081" diameter perforation, open ends	5 across	3⅞ x 17¾	3.5	17¾ x 25¾ x 1
49036	★	Glazed	16 gauge, .081" diameter perforation, open ends	6 long	2⅞ x 25¾	3.7	17¾ x 25¾ x 1
49063	★	Dura-Shield	16 gauge, .081" diameter perforation, open ends	6 long	2⅞ x 25¾	3.7	17¾ x 25¾ x 1



Allergen Management Uni-Lock® Baguette Pan† Aluminum with purple-colored DuraShield® non-stick coating

Item #	In Stock	Coating	Description	Moulds Per Pan	Mould Dimensions (in) Top Inside	Weight Each (lb)	Overall Size (in)
69035	★	Dura-Shield	16 gauge, .081" diameter perforation, open ends	5 long	3 x 25¾	3.7	17¾ x 25¾ x 1



†Uni-Lock U.S. Patent No. 7,258,246 and Canada Patent No. 2,557,979. For Uni-Lock patent numbers of other countries, please visit www.bundybakingsolutions.com/patents-trademarks/.

Uni-Lock® Baguette Pans

Our Uni-Lock® Baguette Pans utilize a patented locking method to provide a permanent connection between the frame and panel. Our unique design does not rely on individual fasteners or welding so there are no rivets to loosen and fall free and no broken welds to worry about.



Specialty Bread Pans



Crimped Round Bread 4-Pan Set Aluminized steel

Item #	In Stock	Coating	Description	Individual Pan Size (in)		Weight Each (lb)	Loaf Weight (lb)	Overall Size (in)
				Top Inside	Diameter			
48514		Glazed	26 gauge, wire in rim, 2-piece locking set	10	3 $\frac{3}{4}$	10.0	1.0	10 $\frac{17}{32}$ x 17 $\frac{1}{4}$



Cinnamon/Package Roll 3-Pan Set Aluminized steel

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
41695		Glazed	26 gauge, seamless construction, wire in rim	9 $\frac{1}{4}$ x 6 $\frac{5}{8}$	9 x 6 $\frac{3}{8}$	1 $\frac{7}{8}$	4.5	9 $\frac{7}{8}$ x 22 $\frac{1}{8}$


Tortilla Shell Pans Aluminized steel

Item #	In Stock	Coating	Description	Individual Pan Size (in)			Weight Each (lb)
				Top Inside	Bottom Outside	Depth	
46990	★	Plain	26 gauge	9½	4½	3	0.5
46995	★	Glazed	26 gauge	9½	4½	3	0.5
47675	★	DuraShield	26 gauge	9½	4½	3	0.5
45990	★	Plain	22 gauge	6⅝	3⅜	2¾ ₁₆	0.3
45995	★	Glazed	22 gauge	6⅝	3⅜	2¾ ₁₆	0.3
46675	★	DuraShield	22 gauge	6⅝	3⅜	2¾ ₁₆	0.3



Sub Sandwich Roll Pans Aluminum

Item #	In Stock	Coating	Description	Arrangement	Individual Pan Size (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
Full-Size									
49015	★	Glazed	16 gauge, perforated, individual flat bottom moulds with end caps	2 rows of 5	12½ x 3	12½ x 2¼	¾	3.4	17¾ x 25¾ x ¾
Half-Size									
49014	★	Glazed	16 gauge, perforated, individual flat bottom moulds with end caps	1 row of 5	12½ x 3	12½ x 2¼	¾	1.9	17¾ x 12¾ x ¾



Mini-Loaf Pans Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Individual Pan Size (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
45755	★	Glazed	26 gauge, square corners, wire in rim	2 rows of 6	6.4	3⅞ x 2½	3½ x 2⅞	1⅝	3⅞	4½	3.8	9⅞ x 19½
45725	★	Glazed	26 gauge, square corners, wire in rim	4 rows of 7	6.4	3⅞ x 2½	3½ x 2⅞	1⅝	3⅞	4½	7.8	18⅞ x 25⅞
45727	★	Glazed	26 gauge, square corners, wire in rim	4 rows of 7	6.4	3⅞ x 2½	3½ x 2⅞	1⅝	3⅞	4¼	7.9	17⅞ x 25⅞



*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.

Allergen Management Sub Sandwich Roll Pan Aluminum with purple-colored DuraShield® non-stick coating

Item #	In Stock	Coating	Description	Arrangement	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
69015	★	DuraShield	16 gauge, perforated, welded style	2 rows of 5	12½ x 3	12½ x 2¼	¾	3.4	17¾ x 25¾ x ¾



Tortilla Shell Pans

Chicago Metallic's Tortilla Shell Pan is ideal for baking a more healthy version of the popular tortilla bowl. Baking tortillas instead of frying eliminates the extra fat and calories from frying while still providing the crispy texture that consumers love. The tortilla shell pan can accommodate a variety of tortilla sizes, thus the tortillas can be used as a delicious serving bowl for dips, salads, desserts, and more.



Pizza Pans



Straight Sidewall Pizza Pans Aluminized steel



Item #	In Stock	Coating	Description	Nominal Size (in)	Top Inside (in)	Bottom Outside (in)	Depth (in)	Weight Each (lb)
41010	★	Plain	26 gauge	10	10	10	1	0.8
41210	★	Plain	26 gauge	12	12	12	1	1.0
41400	★	Plain	22 gauge	14	14	14	1	1.8
41610	★	Plain	22 gauge	16	16	16	1	2.2
46150	★	Plain	26 gauge	6	6	6	1½	0.4
48050	★	Plain	26 gauge	8	8	8	1½	0.7
49152	★	Plain	26 gauge	9	9	9	1½	0.8
45020	★	Plain	26 gauge	5	5 ⁵ / ₃₂	5 ⁵ / ₃₂	2 ¹ / ₁₆	0.4
46020	★	Plain	26 gauge	6	6	6	2	0.5
47020	★	Plain	26 gauge	7	7	7	2	0.6
48020	★	Plain	26 gauge	8	8	8	2	0.8
49020	★	Plain	26 gauge	9	9	9	2	0.9
41020	★	Plain	26 gauge	10	10	10	2	1.1
41220	★	Plain	26 gauge	12	12	12	2	1.4
41420	★	Plain	22 gauge	14	14	14	2	2.3

Detroit Style Pizza Pans Aluminized steel

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
90810	★	Plain	24 gauge, folded/welded corners	1.6	8 ¹ / ₈ x 10 ¹ / ₄ x 2 ¹ / ₂
90815	★	Glazed	24 gauge, folded/welded corners	1.6	8 ¹ / ₈ x 10 ¹ / ₄ x 2 ¹ / ₂
91014	★	Plain	24 gauge, folded/welded corners	2.6	10 ¹ / ₈ x 14 ¹ / ₄ x 2 ¹ / ₂
91015	★	Glazed	24 gauge, folded/welded corners	2.6	10 ¹ / ₈ x 14 ¹ / ₄ x 2 ¹ / ₂



EXACT STACK® Deep Dish Pizza Pans Hardcoat anodized aluminum

Item #	In Stock	Coating	Description	Nominal Size (in)	Top Inside (in)	Bottom Outside (in)	Depth (in)	Weight Each (lb)
75010	★	Plain	14 gauge, nestable	12	12 ¹ / ₄	11 ¹⁵ / ₁₆	2	1.2
75012	★	Pre-Seasoned	14 gauge, nestable	12	12 ¹ / ₄	11 ¹⁵ / ₁₆	2	1.2
75140	★	Plain	14 gauge, nestable	14	14 ¹ / ₈	13 ¹⁵ / ₁₆	2	1.4
75145	★	Pre-Seasoned	14 gauge, nestable	14	14 ¹ / ₈	13 ¹⁵ / ₁₆	2	1.4



Allergen Management Pizza Pans Aluminum with purple-colored DuraShield® non-stick coating

Item #	In Stock	Coating	Description	Top Inside (in)	Bottom Outside (in)	Depth (in)	Weight Each (lb)
69100	★	DuraShield	10" thin crust pizza, 14 gauge	10	9 ²⁷ / ₃₂	3/8	0.8
69120	★	DuraShield	12" thin crust pizza, 14 gauge	12	11 ⁷ / ₈	3/8	1.1



EXACT STACK® Pizza Pans

Chicago Metallic EXACT STACK® Pizza Pans are engineered to stack securely yet release easily when lifted. The pans can be used to proof dough while stacked and will not stick together due to the proprietary design. They offer an average overall space savings of 30% over traditional pizza pans with lids. Made with high-strength aluminum with a durable, hardcoat anodized surface that will not chip, peel, rust, or interact with food, EXACT STACK Pizza Pans are available plain or pre-seasoned with AMERICOAT® ePlus glaze.



LEARN
MORE





Pizza Pans

BĀKALON Deep Dish Pizza Pans Hardcoat anodized aluminum



Item #	In Stock	Coating	Description	Nominal Size (in)	Top Inside (in)	Btm. Out. (in)	Depth (in)	Weight Each (lb)
91060	★	Plain	14 gauge, nestable	6	6 ⁵ / ₈	6	1 ¹ / ₂	0.5
91065	★	Pre-Seasoned	14 gauge, nestable	6	6 ⁵ / ₈	6	1 ¹ / ₂	0.5
91068	★	Plain	14 gauge, nestable, perforated bottom	6	6 ⁵ / ₈	6	1 ¹ / ₂	0.5
91090	★	Plain	14 gauge, nestable, embossed feet	9	9	8 ³ / ₈	1 ¹ / ₂	0.8
91095	★	Pre-Seasoned	14 gauge, nestable, embossed feet	9	9	8 ³ / ₈	1 ¹ / ₂	0.8
91098	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	9	9	8 ³ / ₈	1 ¹ / ₂	0.8
91100	★	Plain	14 gauge, nestable, embossed feet	10	10 ¹ / ₄	9 ⁵ / ₈	1 ¹ / ₂	0.9
91105	★	Pre-Seasoned	14 gauge, nestable, embossed feet	10	10 ¹ / ₄	9 ⁵ / ₈	1 ¹ / ₂	0.9
91108	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	10	10 ¹ / ₄	9 ⁵ / ₈	1 ¹ / ₂	0.9
91120	★	Plain	14 gauge, nestable, embossed feet	12	12	11 ³ / ₈	1 ¹ / ₂	1.2
91125	★	Pre-Seasoned	14 gauge, nestable, embossed feet	12	12	11 ³ / ₈	1 ¹ / ₂	1.2
91128	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	12	12	11 ³ / ₈	1 ¹ / ₂	1.2
91130	★	Plain	14 gauge, nestable, embossed feet	13	13 ¹ / ₁₆	12 ³ / ₈	1 ¹ / ₂	1.4
91135	★	Pre-Seasoned	14 gauge, nestable, embossed feet	13	13 ¹ / ₁₆	12 ³ / ₈	1 ¹ / ₂	1.4
91138	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	13	13 ¹ / ₁₆	12 ³ / ₈	1 ¹ / ₂	1.4
91140	★	Plain	14 gauge, nestable, embossed feet	14	14 ³ / ₁₆	13 ¹⁷ / ₃₂	1 ¹ / ₂	1.6
91145	★	Pre-Seasoned	14 gauge, nestable, embossed feet	14	14 ³ / ₁₆	13 ¹⁷ / ₃₂	1 ¹ / ₂	1.6
91148	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	14	14 ³ / ₁₆	13 ¹⁷ / ₃₂	1 ¹ / ₂	1.6
91150	★	Plain	14 gauge, nestable, embossed feet	15	14 ³ / ₄	14 ¹ / ₈	1 ¹ / ₂	1.7
91155	★	Pre-Seasoned	14 gauge, nestable, embossed feet	15	14 ³ / ₄	14 ¹ / ₈	1 ¹ / ₂	1.7
91158	★	Plain	14 gauge, nestable, embossed feet, perforated bottom	15	14 ³ / ₄	14 ¹ / ₈	1 ¹ / ₂	1.7
91160	★	Plain	14 gauge, nestable, embossed feet	16	16 ¹ / ₃₂	15 ⁵ / ₁₆	1 ¹ / ₂	2.0
91165	★	Pre-Seasoned	14 gauge, nestable, embossed feet	16	16 ¹ / ₃₂	15 ⁵ / ₁₆	1 ¹ / ₂	2.0



BĀKALON Thin Crust Pizza Pans Hardcoat anodized aluminum

Item #	In Stock	Coating	Description	Nominal Size (in)	Top Inside (in)	Btm. Out. (in)	Depth (in)	Weight Each (lb)
49100	★	Plain	14 gauge	10	10	9 ⁷ / ₈	3 ³ / ₈	0.8
49103	★	Pre-Seasoned	14 gauge	10	10	9 ⁷ / ₈	3 ³ / ₈	0.8
49108	★	Plain	14 gauge, perforated bottom	10	10	9 ⁷ / ₈	3 ³ / ₈	0.8
49120	★	Plain	14 gauge	12	12	11 ⁷ / ₈	3 ³ / ₈	1.1
49123	★	Pre-Seasoned	14 gauge	12	12	11 ⁷ / ₈	3 ³ / ₈	1.1
49128	★	Plain	14 gauge, perforated bottom	12	12	11 ⁷ / ₈	3 ³ / ₈	1.1
49140	★	Plain	14 gauge	14	13 ¹⁵ / ₁₆	13 ¹³ / ₁₆	3 ³ / ₈	1.4
49143	★	Pre-Seasoned	14 gauge	14	13 ¹⁵ / ₁₆	13 ¹³ / ₁₆	3 ³ / ₈	1.4
49148	★	Plain	14 gauge, perforated bottom	14	13 ¹⁵ / ₁₆	13 ¹³ / ₁₆	3 ³ / ₈	1.4
49160	★	Plain	14 gauge	16	16 ¹ / ₈	15 ²³ / ₃₂	3 ³ / ₈	1.7
49163	★	Pre-Seasoned	14 gauge	16	16 ¹ / ₈	15 ²³ / ₃₂	3 ³ / ₈	1.7



BĀKALON Sheet Pans Hardcoat anodized aluminum

Item #	In Stock	Coating	Description	Weight Each (lb)	Overall Size (in)
Full-Size					
44693	★	Plain	16 gauge, wire in rim, StayFlat®	3.4	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1 ¹ / ₁₆
44694	★	Pre-Seasoned	16 gauge, wire in rim, StayFlat®	3.4	17 ⁷ / ₈ x 25 ¹³ / ₁₆ x 1 ¹ / ₁₆
Half-Size					
40952	★	Plain	14 gauge, open/semi-curved rim	1.7	12 ⁷ / ₈ x 17 ³ / ₄ x 1
40954	★	Pre-Seasoned	14 gauge, open/semi-curved rim	1.7	12 ⁷ / ₈ x 17 ³ / ₄ x 1
Quarter-Size					
40452	★	Plain	16 gauge, curled rim, no wire	0.8	9 ¹ / ₂ x 13 x 1 ¹ / ₁₆
40454	★	Pre-Seasoned	16 gauge, curled rim, no wire	0.8	9 ¹ / ₂ x 13 x 1 ¹ / ₁₆
Eighth-Size					
41852	★	Plain	16 gauge, curled rim, no wire	0.4	6 ⁷ / ₁₆ x 9 ⁷ / ₁₆ x 1 ¹ / ₃₂
41854	★	Pre-Seasoned	16 gauge, curled rim, no wire	0.4	6 ⁷ / ₁₆ x 9 ⁷ / ₁₆ x 1 ¹ / ₃₂




BĀKALON Pans

Chicago Metallic BĀKALON Pans are hard anodized aluminum pans that provide optimal strength, durability, and thermal conductivity. This ultra-hard, aluminum oxide surface provides a nearly permanent protective dark gray cooking surface that will not chip, peel, rust, or interact with food. In fact, these pans are so durable that some bakers have experienced over 50,000 bakes!

BĀKALON pans pre-seasoned with Chicago Metallic's proprietary AMERICOAT® ePlus silicone release coating offer exceptional ease and convenience, combining the release characteristics of a non-stick coating with the flexibility to use metal utensils.




GET MORE
DETAILS



Cake & Pie Pans



Mini-Fluted Cake Pan & Mini-Fluted Tube Cake Pan Aluminized steel



Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top (A)	Btm. Out. (B)	Depth (C)	L	W		
26200	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	4 rows of 3	3.0	2 ³ / ₄	2 ⁵ / ₈	1 ¹ / ₄	3 ⁵ / ₁₆	3 ⁵ / ₁₆	2.2	11 ¹ / ₈ x 15 ³ / ₄
43055	★	Glazed	22 gauge, wire in rim with tube	3 rows of 5	7.5	3 ¹⁵ / ₁₆	3	1 ¹¹ / ₁₆	4 ⁵ / ₈	4 ⁷ / ₈	9.6	17 ⁷ / ₈ x 25 ⁷ / ₈

Slab Cake Pans Aluminized steel



Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)			Weight Each (lb)
					Top Inside	Btm. Out.	Depth	
40232	★	Glazed	22 gauge, seamless, wire in rim, non-nesting	21.5	15 ³ / ₂₅ x 21 ³ / ₂₅	14 ⁵ / ₈ x 20 ⁵ / ₈	2	5.8
40237	★	Glazed	22 gauge, seamless, band in rim, non-nesting	30.0	17 ¹¹ / ₅₀ x 25 ¹¹ / ₅₀	17 x 25	2	8.2

*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.

Bundt® Pans† Cast aluminum

Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)				Weight Each (lb)
					Top Inside	Btm. Out.	Top Out.	Depth	
Small Bundt®									
51224	★	Non-Stick Black	10 gauge, no handles	48.0	7 ⁷ / ₈	6 ³ / ₄	8 ³ / ₁₆	2 ²⁹ / ₃₂	1.3
Large Bundt®									
50136	★	Non-Stick Black	10 gauge, no handles	96.0	9 ¹⁵ / ₁₆	8 ³ / ₄	10 ³ / ₈	3 ²¹ / ₃₂	1.8



Bundtlette® Pan† Cast aluminum

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth		
50624	★	Non-Stick Black	10 gauge	2 rows of 3	8.0	4	2 ³ / ₄	1 ⁷ / ₈	2.2	8 ¹⁵ / ₁₆ x 13 ¹⁵ / ₁₆



†Bundt® and Bundtlette® are the registered trademarks of Nordic Ware®, a division of Northland Aluminum Products, Inc., Minneapolis, MN 55416

Angel Food/Tube Cake Pans Aluminum

Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)			Tube Dimensions (in)			Weight Each (lb)
					Top Inside	Btm. Out.	Depth	Top Inside	Btm. Inside	Depth	
46500	★	Plain	15 gauge, solid bottom, nesting ring in tube	62.0	7 ¹ / ₂	7	2 ³ / ₄	1 ³ / ₄	2 ⁵ / ₈	3	0.8
46505	★	Glazed	15 gauge, solid bottom, nesting ring in tube	62.0	7 ¹ / ₂	7	2 ³ / ₄	1 ³ / ₄	2 ⁵ / ₈	3	0.8
46530	★	Plain	15 gauge, solid bottom, nesting ring in tube	60.0	7 ¹ / ₂	6 ⁷ / ₈	3 ¹ / ₁₆	2 ⁹ / ₁₆	3 ¹ / ₈	3 ¹ / ₈	0.8
46535	★	Glazed	15 gauge, solid bottom, nesting ring in tube	60.0	7 ¹ / ₂	6 ⁷ / ₈	3 ¹ / ₁₆	2 ⁹ / ₁₆	3 ¹ / ₈	3 ¹ / ₈	0.8
46540	★	Plain	15 gauge, solid bottom, nesting ring in tube	116.0	9 ¹ / ₄	8	4	2 ¹ / ₄	3	4 ¹ / ₈	1.2
46545	★	Glazed	15 gauge, solid bottom, nesting ring in tube	116.0	9 ¹ / ₄	8	4	2 ¹ / ₄	3	4 ¹ / ₈	1.2
46550	★	Plain	15 gauge, solid bottom, nesting ring in tube	128.0	9 ³ / ₈	8 ¹ / ₄	4	2 ³ / ₈	3 ¹ / ₈	4 ¹ / ₈	1.3
46555	★	Glazed	15 gauge, solid bottom, nesting ring in tube	128.0	9 ³ / ₈	8 ¹ / ₄	4	2 ³ / ₈	3 ¹ / ₈	4 ¹ / ₈	1.3
46560	★	Plain	15 gauge, solid bottom, nesting ring in tube	144.0	10	9 ¹ / ₄	3 ³ / ₄	3 ¹ / ₄	4	4 ¹ / ₂	1.5
46565	★	Glazed	15 gauge, solid bottom, nesting ring in tube	144.0	10	9 ¹ / ₄	3 ³ / ₄	3 ¹ / ₄	4	4 ¹ / ₂	1.5



Spring Form Cake Pans High strength aluminum alloy

Item #	In Stock	Coating	Description	Vol. (oz)*	Overall Dimensions (in)		Weight Each (lb)
					Top Inside	Depth	
40406	★	Plain	0.032", includes removable bottom	47.0	6	2 ³ / ₄	0.6
40408	★	Plain	0.032", includes removable bottom	83.5	8	2 ³ / ₄	0.8
40409	★	Plain	0.032", includes removable bottom	105.7	9	2 ³ / ₄	0.8
40410	★	Plain	0.032", includes removable bottom	130.5	9 ⁷ / ₈	2 ³ / ₄	0.8
40412	★	Plain	0.032", includes removable bottom	187.9	12	2 ³ / ₄	1.2



*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.



Cake & Pie Pans



Round Cake Pans Aluminized steel

Item #	In Stock	Coating	Description	Vol. (oz)*	Overall Dimensions (in)		Weight Each (lb)
					Top Inside	Depth	
41010	★	Plain	26 gauge, straight sidewalls	43.5	10	1	0.8
41018	★	Glazed	26 gauge, straight sidewalls	43.5	10	1	0.8
41210	★	Plain	26 gauge, straight sidewalls	62.6	12	1	1.0
41215	★	Glazed	26 gauge, straight sidewalls	62.6	12	1	1.0
41400	★	Plain	22 gauge, straight sidewalls	85.3	14	1	1.8
41405	★	Glazed	22 gauge, straight sidewalls	85.3	14	1	1.8
41610	★	Plain	22 gauge, straight sidewalls	111.4	16	1	2.2
41615	★	Glazed	22 gauge, straight sidewalls	111.4	16	1	2.2
46150	★	Plain	26 gauge, straight sidewalls	23.5	6	1½	0.4
46155	★	Glazed	26 gauge, straight sidewalls	23.5	6	1½	0.4
48050	★	Plain	26 gauge, straight sidewalls	41.8	8	1½	0.7
48055	★	Glazed	26 gauge, straight sidewalls	41.8	8	1½	0.7
49152	★	Plain	26 gauge, straight sidewalls	52.8	9	1½	0.8
49155	★	Glazed	26 gauge, straight sidewalls	52.8	9	1½	0.8
45020	★	Plain	26 gauge, straight sidewalls	21.8	5⅜	2¼	0.4
45025	★	Glazed	26 gauge, straight sidewalls	21.8	5⅜	2¼	0.4
46020	★	Plain	26 gauge, straight sidewalls	31.3	6	2	0.5
46025	★	Glazed	26 gauge, straight sidewalls	31.3	6	2	0.5
47020	★	Plain	26 gauge, straight sidewalls	42.6	7	2	0.6
47026	★	Glazed	26 gauge, straight sidewalls	42.6	7	2	0.6
48020	★	Plain	26 gauge, straight sidewalls	55.7	8	2	0.8
48025	★	Glazed	26 gauge, straight sidewalls	55.7	8	2	0.8
49020	★	Plain	26 gauge, straight sidewalls	70.5	9	2	0.9
49025	★	Glazed	26 gauge, straight sidewalls	70.5	9	2	0.9
41020	★	Plain	26 gauge, straight sidewalls	87.0	10	2	1.1
41025	★	Glazed	26 gauge, straight sidewalls	87.0	10	2	1.1
41220	★	Plain	26 gauge, straight sidewalls	125.3	12	2	1.4
41225	★	Glazed	26 gauge, straight sidewalls	125.3	12	2	1.4
41420	★	Plain	22 gauge, straight sidewalls	170.5	14	2	2.3
41425	★	Glazed	22 gauge, straight sidewalls	170.5	14	2	2.3

*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.



Custom Embossed Pans

You don't have to order thousands of pans to take advantage of our custom embossing services. Contact Chicago Metallic today to request pans stamped with your logo or other custom design.

Allergen Management Round Cake Pan Aluminized steel with purple-colored DuraShield® non-stick coating

Item #	In Stock	Coating	Description	Vol. (oz)*	Top Inside (in)	Depth (in)	Weight Each (lb)
68050	★	DuraShield	22 gauge, straight sidewalls	41.8	8	1½	0.7



Specialty Cake Pans Aluminum (unless otherwise noted)

Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)		Weight Each (lb)	Tube Dimensions (in)		
					Top Inside	Depth		Top Inside	Btm. Inside	Depth
Turks Head										
47605	★	Glazed	.060" gauge, wire in rim, fluted sidewalls, round bottom	36.0	6½	2 ¹⁵ / ₁₆	0.6	1 diameter	2 diameter	3 ³ / ₈
Sand Torte										
47645	★	Glazed	.060" gauge, wire in rim, ribbed sidewalls, embossed bottom	56.0	7 ⁷ / ₁₆	3 ³ / ₈	0.6	2 diameter	2½ diameter	3
Heart										
48105	★	Glazed	26 gauge aluminized steel	60.0	8 ¹³ / ₁₆ x 8 ³ / ₈	2	0.8	—	—	—
Lava Cake										
40575	★	Glazed	22 gauge aluminized steel, curled rim, fluted sidewalls	18.0	5¾	2 ¹ / ₁₆	0.5	1 ⁵ / ₈ diameter	1 ⁷ / ₈ diameter	1¼



Pie Pans Aluminum (unless otherwise noted), sold by the gross only (144 minimum)

Item #	In Stock	Coating	Description	Top Inside (in)	Btm. Out. (in)	Depth (in)	Weight per Gross (lb)	Overall Size (in)
41509	★	Plain	.011" gauge	8	6¼	1 ³ / ₁₆	14.4	8 ²⁹ / ₃₂ x 1 ³ / ₁₆
41110†	★	Plain	.011" gauge tin	9	7½	1	43.2	9 ²⁷ / ₃₂ x 1
48110	★	Plain	.011" gauge	8 ⁷ / ₈	7 ³ / ₁₆	1 ¹ / ₈	10.2	9 ⁵ / ₈ x 1 ¹ / ₈

†Hand-wash only



Heavy Duty Pie Pan, Deep Dish Aluminized steel

Item #	In Stock	Coating	Description	Top Inside (in)	Btm. Out. (in)	Depth (in)	Weight Each (lb)	Overall Size (in)
23100	★	Glazed	22 gauge, curled rim	9	6 ¹⁵ / ₁₆	1½	1.0	10 x 1½

*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.



USA PAN® Bakeware



Cake Pans Aluminized steel



Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
Square Cake									
21300	★	Glazed	22 gauge, folded construction, wire in rim	77.3	8 x 8	7 ³ / ₄ x 7 ³ / ₄	2 ¹ / ₄	2.0	8 ⁹ / ₁₆ x 8 ⁹ / ₁₆
21500	★	Glazed	22 gauge, folded construction, wire in rim	87.3	9 x 9	8 ³ / ₄ x 8 ³ / ₄	2 ¹ / ₄	2.2	9 ⁹ / ₁₆ x 9 ⁹ / ₁₆
Rectangular Cake									
21100	★	Glazed	22 gauge, folded construction, wire in rim	126.6	9 x 13	8 ³ / ₄ x 12 ³ / ₄	2 ¹ / ₄	2.3	9 ⁹ / ₁₆ x 13 ⁹ / ₁₆

Fluted Tube Cake Pan Aluminized steel



Item #	In Stock	Coating	Description	Vol. (oz)*	Mould Dimensions (in)			Weight Each (lb)
					Top Inside	Btm. Out.	Depth	
51060	★	Plain	22 gauge, seamless, curled rim	96.0	10	8 ⁷ / ₈	3 ³ / ₄	2.3
51065	★	Glazed	22 gauge, seamless, curled rim	96.0	10	8 ⁷ / ₈	3 ³ / ₄	2.3

*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.

Mini-Fluted Cake Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
26200	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	4 rows of 3	3.0	2¾	2⅝	1¼	3⅝	3⅝	2.2	11⅞ x 15¾



Mini-Swirl Cake Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
26300	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	8.1	3⅞	2½	1⅝	4¼	4¼	2.2	11⅞ x 15¾



Mini-Swirl/Turban/Beehive Cake Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
25600	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	6.1	3⅞	Varies	1⅞	4¼	4¼	2.2	11⅞ x 15¾



Heavy Duty Pie Pan, Deep Dish Aluminized steel

Item #	In Stock	Coating	Description	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
23100	★	Glazed	22 gauge, curled rim	9	6⅝	1½	1.0	10 x 1½



Mini-Cheesecake Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
21700	★	Glazed	26 gauge cups, 22 gauge panel, includes 6 removable bottoms	3 rows of 2	8.5	3⅜	3⅜	2⅞	3⅝	4	2.8	11⅞ x 15¾
21706	★	Glazed	Replacement disks (6) for #21700	—	—	—	—	—	—	—	—	—



*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.

USA PAN® Bakeware

Manufactured by our sister company, USA PAN®, this line of bakeware provides pan designs in convenient sizes for smaller operations or new product introductions. These pans are made of the same heavy-duty, commercial grade aluminized steel and are designed to the same quality standards as our other baking pans. Coated with our proprietary AMERICOAT® ePlus glaze, these pans provide an easy release of baked goods without the use of oil, grease, spray, parchment, or liners.





USA PAN® Bakeware

Pecan Roll/Large Muffin Pan Aluminized steel



Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
26500	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	7.1	3 ¹ / ₁₆	2 ¹ / ₂	1 ¹³ / ₁₆	4 ¹ / ₄	4 ¹ / ₄	2.2	11 ¹ / ₈ x 15 ³ / ₄

Madeleine Pan Aluminized steel



Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
25400	★	Glazed	22 gauge, curled rim	4 rows of 4	1.0	3	3	5 ⁵ / ₈	3 ²³ / ₆₄	2 ⁷ / ₁₆	1.7	11 ¹ / ₈ x 15 ³ / ₄

Donut Pan Aluminized steel



Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
25200	★	Glazed	22 gauge, curled rim	3 rows of 2	3.5	3 ¹ / ₂	3 ³ / ₈	7 ⁷ / ₈	4 ¹ / ₈	4 ¹ / ₈	2.1	11 ¹ / ₈ x 15 ³ / ₄

Jelly Roll Pans Aluminized steel



Item #	In Stock	Coating	Description	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
20700	★	Glazed	22 gauge, wire in rim	9 ⁵ / ₁₆ x 14 ¹ / ₄	8 ⁵ / ₈ x 13 ⁹ / ₁₆	1	2.3	9 ¹³ / ₁₆ x 14 ³ / ₄
20800	★	Glazed	22 gauge, wire in rim	12 ⁵ / ₁₆ x 17 ¹ / ₄	11 ⁵ / ₈ x 16 ⁵ / ₈	1	3.3	12 ¹³ / ₁₆ x 17 ³ / ₄
20900	★	Glazed	22 gauge, wire in rim	9 x 12 ¹ / ₂	8 ⁵ / ₁₆ x 11 ¹³ / ₁₆	1	1.8	9 ¹ / ₂ x 13

Brownie Bite Pan Aluminized steel (pans do not nest)



Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
25300	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	5 rows of 4	1.8	1 ² / ₃₂ x 1 ² / ₃₂	1 ¹ / ₁₆ x 1 ¹ / ₁₆	1 ¹ / ₃₂	2 ³ / ₈	2 ¹ / ₁₆	3.0	11 ¹ / ₈ x 15 ³ / ₄

Fluted Tart Pan Aluminized steel



Item #	In Stock	Coating	Description	Arrangement	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
25500	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	7.2	4 ⁹ / ₁₆	4 ¹ / ₁₆	7 ⁷ / ₈	5	5 ³ / ₈	2.0	11 ¹ / ₈ x 15 ³ / ₄

*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.

Cookie Sheet Pans Aluminized steel

Item #	In Stock	Coating	Description	Baking Surface (in)		Weight Each (lb)	Overall Size (in)
				Overall	Thickness		
20100	★	Glazed	22 gauge	8 ⁵ / ₁₆ x 13	1/16	1.7	9 ⁷ / ₈ x 14
20300	★	Glazed	22 gauge	12 ⁵ / ₁₆ x 13 ¹ / ₁₆	1/16	2.3	13 ⁷ / ₈ x 14
20500	★	Glazed	22 gauge	12 ⁵ / ₁₆ x 17	1/16	2.7	13 ⁷ / ₈ x 18



Hearth Bread Pan Aluminized steel

Item #	In Stock	Coating	Description	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
				Top Inside	Btm. Out.	Depth		
24100	★	Glazed	26 gauge	5 ⁵ / ₈ x 12	11 ¹ / ₂ x 3	2 ¹ / ₂	1.7	6 ³ / ₁₆ x 12 ⁹ / ₁₆



Italian Loaf Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
24200	★	Glazed	18 gauge perforated	2 long	4	16	1 ⁷ / ₈	1.3	8 x 16



Mini-Loaf Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
25100	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	4 rows of 2	5.1	3 ⁷ / ₈ x 2 ¹ / ₂	3 ³ / ₈ x 2	1 ¹ / ₄	3 ³ / ₈	4 ¹ / ₂	2.0	11 ¹ / ₈ x 15 ³ / ₄



New England Hot Dog Bun Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Mould Dimensions (in)			Weight Each (lb)	Overall Size (in)
					Top Inside	Btm. Out.	Depth		
22100	★	Glazed	26 gauge	1 row of 10	1 ⁵ / ₁₆ x 14 ¹³ / ₁₆	1 ¹ / ₁₆ x 4 ¹ / ₈	5/16	1.7	6 ¹ / ₂ x 15 ¹ / ₂ x 1 ⁷ / ₁₆



Popover Pan Aluminized steel

Item #	In Stock	Coating	Description	Arrange-ment	Vol. (oz)*	Mould Dimensions (in)			Centers (in)		Weight Each (lb)	Overall Size (in)
						Top Inside	Btm. Out.	Depth	L	W		
26100	★	Glazed	26 gauge cups, 22 gauge panel, curled rim	3 rows of 2	5.0	2 ³ / ₄	1 ⁷ / ₈	2 ⁷ / ₁₆	4 ¹ / ₄	4 ¹ / ₄	1.9	11 ¹ / ₈ x 15 ³ / ₄






*Volume (Vol.) indicates liquid volume of mould when filled to brim. Use 60-70% to estimate actual batter weight.




Accessories



Sheet Pan Rack & Dollies Steel (unless otherwise noted)

Item #	In Stock	Coating	Description	Weight Each (lb)
18112		Plain	ETL 12-shelf aluminum knock-down rack, 5" spacing	42.0
40428		Plain	Double width dolly truck for 20" x 25½" strapped bread sets, 3" casters	15.0
42580		Plain	Dolly truck for 17⅝" x 25⅝" sheet pans, 3" casters, dark green, can hold up to 800 pounds	16.0

Egg Omelet Ring with Handle

Item #	In Stock	Coating	Description	Mould Dimensions, Top Inside (in)	Weight Each (lb)	Overall Size (in)
48001		DuraShield	8" black non-stick with 5" stainless steel wire handle	1¼	0.7	7¼

Manual Cake Filler & Replacement Parts Stainless steel

Item #	In Stock	Coating	Description	
10001	★	Plain	Manual Cake Filler, 5 quart capacity	(Right image)
10003	★	Plain	#3 Adjustment Pin, replacement part for #10001	
10004	★	Plain	#4 Handle, replacement part for #10001	
10005	★	Plain	#5 Nozzle, replacement part for #10001	
10006	★	Plain	#6 Piston Assembly, replacement part for #10001	
10007	★	Plain	#7 Split Roll Pin, replacement part for #10001	
10008	★	Plain	#8 Spring, replacement part for #10001	
10009	★	Plain	#9 Spring Bushing, replacement part for #10001	
10010	★	Plain	#10 Thumbscrew, replacement part for #10001	(Pictured together with #10011, below)
10011	★	Plain	#11 Wing Nut, replacement part for #10001	
10012	★	Plain	#5B Nozzle Nut, replacement part for #10001	



Manual Cake Filler

Chicago Metallic's Manual Cake Filler is affordable and easy to use and can add instant value to many of your existing baked goods. It holds about 5 quarts of filling, and the design allows for quick and easy adjustment of the amount of filling deposited into your baked goods, ensuring proper portioning and cost control as well as desired quality and taste level. It is constructed of stainless steel, and is easily disassembled for cleaning.



Product Index

Item #	Stock #	Page #	Item #	Stock #	Page #	Item #	Stock #	Page #	Item #	Stock #	Page #
10001	_____	41	26200	_____	13, 32, 37	40908	_____	8, 9	41854	_____	10, 31
10003	_____	41	26300	_____	16, 37	40910	91D	11	42345	B2413	20
10004	_____	41	26500	_____	19, 38	40912	91D	11	42415	B2410	21
10005	_____	41	30694	_____	8	40917	91D	11	42425	B2402	20
10006	_____	41	30698	_____	8	40920	4092X	11	42435	B2403	21
10007	_____	41	30850	_____	8	40922	4092X	11	42445	B2404	20
10008	_____	41	30858	_____	8	40927	4092X	11	42465	_____	21
10009	_____	41	40232	_____	32	40930	93D	11	42495	B2409	20
10010	_____	41	40237	_____	32	40940	94D	11	42580	_____	40
10011	_____	41	40406	8406	33	40947	94D	11	42754	_____	14
10012	_____	41	40408	8408	33	40950	95	10	42755	_____	14
10248	_____	10, 12	40409	8409	33	40952	95BK	10, 31	42756	_____	14
10257	_____	22	40410	8410	33	40954	95BK	10, 31	42865	_____	16
10291	_____	22	40411	_____	22	40955	95	10	43025	03025	19
10317	_____	10	40412	8412	33	41002	01002	20	43026	03026	19
10367	_____	24	40415	_____	22	41005	01005	20	43035	303D	19
10369	_____	24	40421	_____	22	41006	01006	20	43038	303D	19
10392	_____	23	40425	42S	22	41010	P1010	28, 34	43045	_____	16
10396	_____	23	40428	_____	40	41018	P1010	34	43055	03055	13, 32
10424	_____	23	40434	_____	21	41020	P1020	28, 34	43215	321D	19
10428	_____	23	40450	45	10	41025	P1020	34	43375	337F	19
10430	_____	23	40452	45BK	10, 31	41031	01031	10	43385	338F	16
10450	_____	21	40454	_____	10, 31	41052	01052	21	43395	339F	16
10471	_____	24	40455	45	10	41053	_____	21	43515	351F	19
16083	_____	24	40491	49S	22	41055	_____	21	43555	355F	19
18112	_____	40	40495	49S	22	41058	_____	21	43645	364D	19
20100	_____	39	40561	56S	22	41065	B4106	22	43695	369F	19
20300	_____	39	40565	56S	22	41110	1110B	35	43698	369F	19
20500	_____	39	40575	_____	35	41145	11-4	24	44065	B4406	23
20700	_____	38	40600	60	10	41210	_____	28, 34	44145	40-4	23
20800	_____	38	40605	60	10	41215	_____	34	44215	421F	19
20900	_____	38	40690	69	8, 9	41220	P1220	28, 34	44235	42-3	23
21100	_____	36	40691	_____	9	41225	P1220	34	44245	42-4	23
21300	_____	36	40694	_____	8, 9	41400	P1410	28, 34	44255	42-5	23
21500	_____	36	40695	69	8, 9	41405	P1410	34	44305	430D	19
21700	_____	37	40698	_____	8, 9	41420	P1420	28, 34	44365	464	24
21706	_____	37	40700	70	10	41425	P1420	34	44405	B4440	24
22100	_____	39	40800	80	8, 9	41465	_____	23	44515	451D	19
23100	_____	35, 37	40801	_____	9	41500	15	10	44555	455D	19
24100	_____	39	40804	_____	8, 9	41505	15	10	44575	B4572	23
24200	_____	39	40805	80	8, 9	41509	1509G	35	44585	B4485	23
25100	_____	16, 39	40808	_____	8, 9	41555	B1552	10	44615	461S	24
25200	_____	38	40850	85	10	41610	_____	28, 34	44635	461	24
25300	_____	16, 38	40851	85P	10, 12	41615	_____	34	44645	461C	24
25400	_____	38	40855	85	10	41695	B1690	26	44650	464S	24
25500	_____	16, 38	40857	85P	10, 12	41800	_____	10	44655	464SC	24
25600	_____	37	40858	_____	10	41805	_____	10	44660	461SC	24
26100	_____	39	40904	_____	8, 9	41852	_____	10, 31	44685	468B	24

Item #	Stock #	Page #	Item #	Stock #	Page #	Item #	Stock #	Page #	Item #	Stock #	Page #
44690	————	8, 9, 12	45990	————	27	49034	B5017	25	75145	————	29
44691	469P	8, 9	45995	————	27	49035	B5015	25	90810	————	29
44693	469BK	8, 9, 31	46020	P6020	28, 34	49036	B5019	25	90815	————	29
44694	————	8, 9, 31	46025	P6020	34	49043	————	25	91014	————	29
44695	468C	24	46120	612D	15	49053	————	25	91015	————	29
44697	469P	8, 9	46125	612D	15	49063	————	25	91060	9106	30
44699	————	8, 9, 12	46150	P6015	28, 34	49100	910	31	91065	9106	30
44705	470D	19	46155	P6015	34	49103	910	31	91068	————	30
44765	B4476	23	46351	————	21	49108	————	31	91090	9109	30
44792	469PF	10, 12	46465	464C	24	49110	91S	22	91095	9109	30
44800	B5011	12	46500	650	33	49115	91S	22	91098	————	30
44801	B5011	12	46505	650	33	49120	912	31	91100	9110	30
44850	485P	12	46520	652D	15	49123	912	31	91105	9110	30
44890	489P	8, 9	46525	652D	15	49128	————	31	91108	————	30
44891	————	8, 9, 12	46530	653	33	49140	914	31	91120	9112	30
44895	498P	8, 9	46535	653	33	49143	914	31	91125	9112	30
44896	————	8, 9, 12	46540	654	33	49145	91-4	23	91128	————	30
44945	49-4	23	46545	654	33	49148	————	31	91130	9113	30
44955	49-5	23	46550	655	33	49152	P9015	28, 34	91135	9113	30
45020	————	28, 34	46555	655	33	49155	P9015	34	91138	————	30
45025	————	34	46560	656	33	49160	916	31	91140	9114	30
45031	05031	22	46565	656	33	49163	916	31	91145	9114	30
45125	————	15	46601	660D	16	49415	91-4L	23	91148	————	30
45128	————	15	46605	660D	16	50136	————	33	91150	9115	30
45135	B5013	12	46675	————	27	50624	————	33	91155	9115	30
45195	519D	14	46925	B6902	23	50691	————	9	91158	————	30
45225	522D	15	46990	————	27	50801	————	9	91160	9116	30
45245	524D	14	46995	————	27	51060	————	36	91165	9116	30
45255	525D	14	47005	470-35	19	51065	————	36			
45265	526D	19	47020	P7020	28, 34	51224	————	33			
45285	528D	19	47026	P7020	34	52345	B2413	20			
45295	529D	14	47125	————	25	52435	B2403	21			
45305	530D	19	47605	B7060T	35	60561	56S	25			
45355	535D	19	47645	B7064T	35	60690	69	12			
45435	B5435	19	47675	————	27	60800	80	12			
45445	B5446	19	48001	————	40	60850	————	12			
45505	B5018	25	48020	P8020	28, 34	62425	B2402	21			
45515	B5018W	25	48025	P8020	34	65525	552D	19			
45525	552D	15	48050	P8015	28, 34	68050	P8015	35			
45575	557D	15	48055	P8015	34	69015	————	27			
45605	560D	15	48105	B8100	35	69035	B5015	25			
45635	56-3	23	48110	————	35	69100	910	29			
45642	56-4	23	48514	B8514-1	26	69120	912	29			
45645	564D	19	49011	B5016	25	70821	————	11			
45655	56-5	23	49014	————	27	70824	————	11			
45725	572D	16, 27	49015	————	27	75010	————	29			
45727	572DS	16, 27	49020	P9020	28, 34	75012	————	29			
45755	572-D12	16, 27	49025	P9020	34	75140	————	29			



Chicago Metallic

Commercial & Foodservice Bakeware

A BUNDY BAKING SOLUTION

Chicago Metallic USA

1502 North Central Avenue
Humboldt, Tennessee 38343-1798
Tel: 731.824.4130 | **Fax:** 731.784.5404
Toll-Free: 1.800.323.3966
customerservice@cmbakeware.com
cmbakeware.com | [in](#) [f](#)

Chicago Metallic Canada

84 Easton Road
Brantford, Ontario N3P 1J5
Tel: 226.400.4035
Fax: 226.400.4035
customerservice@cmbakeware.ca
cmbakeware.ca | [in](#) [f](#)

